


et Smart ollection Facilities need carpet that performs better longer through smarter design. That's why Mohawk Group developed Get Smart, a high-performance carpet collection that provides total flexibility in planning, installing and caring for your floors.



The Get Smart Collection consists of styles including: 24×24 carpet tile, 12×36 carpet tile and broadloom, with coordinating hard surface. The rectilinear patterns with organic overtones provide a smart look for all spaces in any configuration.

SMART PERFORMANCE Constructed with Duracolor fiber that delivers permanent stain resistance and unsurpassed colorfastness, Get Smart guarantees your carpet will perform. And with EcoFlex®NXT tile backing and Unibond® Plus broadloom backing you also get a sustainable product that's easy to install.

SMART TIMING With styles stocked for **Quickship**, you can order up to 2000 square yards and have it delivered in 10 business days or less.


MERGEABLE DYE LOTS Carpet tile products feature fully coordinating patterns and color variations that allow the merging of different dye lots over time, for ultimate flexibility in flooring design and installation.

- •Install tiles from any dye lot
- No need to purchase large quantities of attic stock
- Easy replacement of tiles at any time
- Readily available for future renovation or expansion
- Random/multidirectional install method recommended for optimal results

See Mergeable Tile Guidelines on the Tech Services tab of www.mohawkgroup.com to ensure optimal appearance/results.







Chilled Check | Broadloom Installation, color 589

ŝ



Write Direction | Half Lap Installation, color 589 coordinating with Matuto LVT, colors 555 and 959

Named for the Filipino word meaning "teacher," Matuto is a high-performance resilient tile that offers a stylish, cost-effective alternative to VCT and allows for design creativity in the toughest commercial environments.

GLOBAL ENTRY COLLECTION

CONSTRUCTION The contemporary design and 12" x 24" tile size of Matuto offers creativity and flexibility for a wide variety of installation methods.

PERFORMANCE The 20 mil commercial wear layer coated with M-Force[™], a ceramic enhanced urethane finish, provides durability and cleanability with a no-polish option that allows for cost-effective maintenance.

COLOR Specifically designed to coordinate with Mohawk Group's color bank, Matuto's full range of neutrals and brights works perfectly with many of our carpet collections.



Colorways available in 12"x 24" tiles

ColorBeat

Solid, all loop textured tile available in 48 colors. Select colors also available as 12x36 plank. Install as a border, inset or accent tile.

Lemon Zest #121	Ground Turmeric #142	Mustard Seed #168	Electric Orange #252	Cajun Spice #258	Sundried Tomato #352	Tango #353
			A sheet			
Mulled Wine #354	Scarlet #374	Aubergine #384	Kaleidoscope #453	Passion Purple #483	Sterling Gray #529	Kingfisher #545
Jazz #546	Moroccan Tile #555	Hazy #559	Aquatic #566	Indigo Batik #575	National Blue #595	Spanish Moss #629
Wheatgrass #631	Limeade #641	Parakeet #646	Calypso #655	Cypress Grove #675	Zucchini #676	Driftwood #678
			ANY CONTRACT			
Hemlock #686	Secret Garden #699	Eggshell #717	Toasted Almond #721	Jute #726	Malt #758	Latte #833
Tarnished Brass #841	Tree Bark #862	Henna #863	Portabello #866	Espresso #883	Peppercorn #889	Chalk Dust #917
Lunar #933	Stainless #934 □	Graphite #964	Brushed Metal #976	Inkwell #985	Black Bean #996	

ZInterdeco

24BY24 🗌 12BY36 🗔

The performance standard for every application, Duracolor fiber is forever stain free, forever sustainable and forever beautiful, guaranteed*. Carpet is easy to maintain with inherent stain resistance and water-only stain removal.

FOREVER STAIN FREE

- Permanent built in protection
- Resists 99% of all stains
- Passes the GSA Test Method for stain resistance: AATCC Test Method 175
- Duracolor Warranty: We guarantee it

FOREVER SUSTAINABLE

- Made with 30% recycled content: 25% pre-consumer & 5% post-consumer
- No Chemicals required: 96% of all common stains clean with just water
- Declare Red List Free: Duracolor fiber is Declare red list free in accordance with the Living Building Challenge

- Lasts Longer: Product life is extended, reducing the impact to your bottom line and to the environment
- Recyclable through Mohawk's ReCover Program

FOREVER BEAUTIFUL

- Available in more than 300 colors
- Unsurpassed colorfastness to light and atmospheric contaminants so colors won't fade
- Unmatched design flexibility without compromising color retention or stain resistance
- Proven track record of success over the past 20 years



Duracolor



Competitor Solution Dyed / Yarn Dyed Blend

* See Mohawk Group official warranty documents for further details at www.mohawkgroup.com

 \Box 12BY36

Brand	Lees
Style Name / Number	Kinesthetic / GT317 / QL317
Construction	Tufted
Surface Appearance	Textured Patterned Loop
Gauge	1/12" (47.00 rows per 10 cm)
Dye Method	Solution Dyed
Fiber Type	duracolor. Premium Nylon
Stain Release Technology	Permanent, Built into the Fiber
Soil Release Technology	Sentry Soil Protection
GSA Stain Release Rating	Passes
Backing Material	EcoFlex NXT
Indoor Air Quality	Green Label Plus Certified # 1171
NSF 140	Gold
Size	12" x 36" (.3048 m x .9144 m)
Installation Method	Monolithic / Half-Lap / Brick Ashlar /
	Basket Weave / Plank Half-Lap /
	Monolithic Stepping / Random /
	Herringbone
Flammability	ASTM E 648 Class 1 (Glue Down)
Smoke Density	ASTM E 662 Less than 450
Static Propensity	AATCC - 134 Under 3.5 KV
Warranties; Lifetime Limited	Carpet Tile Warranty, Lifetime Limited

Duracolor Stain Warranty, Lifetime Static

24BY24

Brand	Lees
Style Name / Number	Into It / GT319 / QL319
Construction	Tufted
Surface Appearance	Textured Patterned Loop
Gauge	1/12" (47.00 rows per 10 cm)
Dye Method	Solution Dyed
Fiber Type	duracolor. Premium Nylon
Stain Release Technology	Permanent, Built into the Fiber
Soil Release Technology	Sentry Soil Protection
GSA Stain Release Rating	Passes
Backing Material	EcoFlex NXT
Indoor Air Quality	Green Label Plus Certified # 1171
NSF 140	Gold
Size	24" x 24" (.6096 m x .6096 m)
Installation Method	Monolithic / Quarter Turn /
	Brick Ashlar / Vertical Ashlar /
	Multi Directional
Flammability	ASTM E 648 Class 1 (Glue Down)
Smoke Density	ASTM E 662 Less than 450
Static Propensity	AATCC - 134 Under 3.5 KV
Warranties: Lifetime Limited	Carpet Tile Warranty, Lifetime Limited
Duracolor Stain Warranty, Life	etime Static

Πι	Brand	Lees
-	Style Name / Number	Write Direction / GT318 / QL318
36	Construction	Tufted
2 B Y	Surface Appearance	Textured Patterned Loop
2	Gauge	1/12" (47.00 rows per 10 cm)
-	Dye Method	Solution Dyed
	Fiber Type	duracolor. Premium Nylon
	Stain Release Technology	Permanent, Built into the Fiber
	Soil Release Technology	Sentry Soil Protection
	GSA Stain Release Rating	
	Backing Material	
	Indoor Air Quality	
	NSF 140	
	Size	12" x 36" (.3048 m x .9144 m)
	Installation Method	
		Basket Weave / Plank Half-Lap /
		Monolithic Stepping / Random /
		Herringbone
	Flammability	ASTM E 648 Class 1 (Glue Down)
	Smoke Density	
	Static Propensity	
		Carpet Tile Warranty, Lifetime Limited
	Duracolor Stain Warranty, Life	
	Darabolor otalli Wallanty, Elit	Stille Statio

BR0ADL00M	Construction	Textured Patterned Loop 1/12" (47.00 rows per 10 cm) 26 oz/yd² (882 g/m²) Solution Dyed duracolor. Premium Nylon Permanent, Built into the Fiber Sentry Soil Protection Passes Unibond Plus Green Label Plus Certified # 3802 Gold 12' width (3.66 m) 18" (W) x 26.28" (L) ASTM E 648 Class 1 (Glue Down) ASTM E 662 Less than 450 AATCC - 134 Under 3.5 KV Jnibond Plus Warranty, Lifetime
	Linned Duracolor Stall Walla	anty, Litetime Statt

For ColorBeat and LVT spec information, visit our website at www.mohawkgroup.com

Installation Instructions: To achieve best results across multiple dye lots, install using Multi Directional (random) method only.

Monolithic	Monolithic Stepping	Half-Lap	Brick Ashlar	Random	Herringbone	BasketWeave	Plank Half-Lap
Monolithic ↑ ↑ ↑ ↑ ↑ ↑ ↑ ↑ ↑ ↑ ↑ ↑	Quarter TurnBrick $\uparrow \rightarrow \uparrow$ \uparrow $\rightarrow \uparrow \rightarrow$ \uparrow $\uparrow \rightarrow \uparrow$ \uparrow $\uparrow \rightarrow \uparrow$ \uparrow $\uparrow \rightarrow \uparrow$ \uparrow	AshlarVert. Ashlar \uparrow	$\begin{array}{c c} \textbf{Multi-Directional} \\ \hline \uparrow & \downarrow & \leftarrow \\ \hline \rightarrow & \uparrow & \rightarrow \\ \hline \leftarrow & \rightarrow & \downarrow \end{array}$		ШM	ohawk	Group

Mohawk Industries, Inc. warrants its adhesives for the life of the original installation only when a Mohawk Industries style (product) is installed. Mohawk's floor preparation procedures must be followed to ensure that the substrate has been prepared properly. Failure to use Mohawk Industries adhesives or to follow Mohawk's floor preparation procedures will void all lifetime adhesive warranties. Please contact your local Sales Representative for installation guidelines.

These patterns contain inherent characteristics which may result in pattern run off and/or pattern appearance variations at the seams or tile edges (darker or lighter pattern lines). These characteristics are inherent in the patterns and are not manufacturing defects. Consideration to these characteristics should be given when selecting an installation method.

Chair pads are recommended under office chairs with roller casters to preserve appearance retention, act as a deterrent toward delamination and to prevent premature or accelerated wear. Walk-off tiles from the Tuff Stuff II Collection are recommended at entryways to reduce soiling.

Duracolor by Mohawk Stain Resistant System passes GSA requirements for permanent stain resistance. Under GSA requirements stain resistant carpets must score no less than 8.0 (10.0 is best) on the AATCC Red 40 Stain Scale. Carpet samples must first be exposed to 100 revolutions of the Taber abrader (1,000-gram weight per H-18 wheel) and then the abraded area must be stain tested using AATCC tested using AATCC tested to the state method 175.

Mohawk Group is providing this architect folder for the purpose of promoting our commercial business. This folder and its samples shall remain the property of Mohawk Group. Color may vary from dye lot to dye lot. Substitution of material may be made due to improved technology, supply limitations or other factors. The performance of this product is not affected by such variations.

For current and complete specifications please visit www.mohawkgroup.com



Write Direction

Collection	Get Smart	the second se
Style Name	Write Direction	
Style Number	GT318	
Product Type	Carpet Tile	
Size	12" X 36"	
Construction	Tufted	
Installation	Monolithic, Half Lap, Brick Ashlar, Baske	
Feature	Description	
Backing Material	EcoFlex NXT	
Fiber Type	Duracolor® Tricor Premium Nylon	
Dye Method	Solution Dyed	
Installation Methods	Monolithic, Half Lap, Brick Ashlar, Baske	et and the second se
Stitches per Inch	11 (43.31 per 10cm)	
Density	7534	
Tufted Pile Weight	18.00 oz/yd2 (610 g/m2)	
Surface Texture	Textured Patterned Loop	

Recommended Installation Methods











	-		
\rightarrow	-	\rightarrow	
-		-	
		-	H
		\rightarrow	⊢
		-+	1
-	-	-	1
	-		
-	-	-	
-	\rightarrow		
	-	100000	

Basket Weave

Brick Ashlar

Half Lap

Herringbone

Monolithic

Monolithic Stepping

Mohawk Group



Colorways



Cayenne Color code: 263 Style number: GT318



Greenery Color code: 661 Style number: GT318



Color code: 949 Style number: GT318

Everglade



Mystic

Color code: 989 Style number: GT318

Performance

Feature	Description
Gauge	1/12 (47.00 rows per 10 cm)
Stain Release Technology	Pass
Foot Traffic Recommendation TARR	Severe
Flammability	ASTM E 648 Class 1 (Glue Down)
Smoke Density	ASTM E 662 Less than 450
Static Propensity	AATCC-134 Under 3.5 KV
Soil Release Technology	EcoSentry Soil Protection

Peacock

Color code:

Hound

Metro

Color code:

Style number:

Color code:

Style number:

Style number:

566

849

957

GT318

GT318

GT318

Magic

Color code:

Subtle

Color code:

Cocoa

Color code:

Style number:

Style number:

Style number:

589

861

969

GT318

GT318

GT318



Sustainability

Feature	Description
Beyond Carbon Neutral	This product is 100% carbon neutral plus an additional 5% offset
Carbon Handprint	-0.062 kg CO2e/ft2
Embodied Carbon	1.24 kg CO2e/ft2
Total Recycled Content	57%
Pre-Consumer Recycled Content	57%
NSF 140	EcoFlex NXT - NSF 140 Gold
Indoor Air Quality	<u>GLP 1171</u>
TVOC Range	0.5 mg/m3 or less
Red List Free	True
Declare Label	Nylon Modular Carpet on EcoFlex NXT
Mindful Materials	Participates in Mindful Materials Library
Take Back Program	ReCover Program
Health Product Declaration	HPD 2.1 EcoFlex NXT Gold - 1000 ppm
Environmental Claims Validation	EPD EcoFlex NXT
Global Green Tag	GreenRate Level A, LCARate Silver Plus
LEED Credit Potential	LEED Eligible

Warranties

Lifetime Limited Carpet Tile Warranty, Lifetime Duracolor Stain Warranty, Lifetime Static



Into It

Collection	Get Smart
Style Name	Into It
Style Number	GT319
Product Type	Carpet Tile
Size	24" X 24"
Construction	Tufted
Installation	Monolithic, Quarter Turn, Brick Ashlar, Ve

Feature	Description
Backing Material	EcoFlex NXT
Fiber Type	Duracolor® Tricor Premium Nylon
Dye Method	Solution Dyed
Installation Methods	Monolithic, Quarter Turn, Brick Ashlar, Ve
Stitches per Inch	11 (43.31 per 10cm)
Density	8100
Tufted Pile Weight	18.00 oz/yd2 (610 g/m2)
Surface Texture	Textured Patterned Loop



Recommended Installation Methods



Brick Ashlar



Monolithic



Multi-Directional





Vertical Ashlar

Mohawk Group

www.mohawkgroup.com



Colorways

Cayenne		Peacock			Magic	
Color code: Style number:	263 GT319	Color code: Style number:	566 GT319		Color code: Style number:	589 GT319
Greenery		Hound			Subtle	
Color code: Style number:	661 GT319	Color code: Style number:	849 GT319		Color code: Style number:	861 GT319
Style Humber.	01515	Style humber.	01515		Style humber.	01515
					•	
Everglade		Metro		朝時時	Cocoa	
Everglade Color code:	949	Metro Color code:	957		Cocoa Color code:	969
	949 GT319		957 GT319			969 GT319
Color code:		Color code:			Color code:	
Color code: Style number:		Color code:			Color code:	

Performance

Feature	Description
Gauge	1/12 (47.00 rows per 10 cm)
Stain Release Technology	Pass
Foot Traffic Recommendation TARR	Severe
Flammability	ASTM E 648 Class 1 (Glue Down)
Smoke Density	ASTM E 662 Less than 450
Static Propensity	AATCC-134 Under 3.5 KV
Soil Release Technology	EcoSentry Soil Protection

Mohawk Group

🖌 f 💿 in 🦻

Sustainability

Feature	Description
Beyond Carbon Neutral	This product is 100% carbon neutral plus an additional 5% offset
Carbon Handprint	-0.062 kg CO2e/ft2
Embodied Carbon	1.24 kg CO2e/ft2
Total Recycled Content	43%
Pre-Consumer Recycled Content	43%
NSF 140	EcoFlex NXT - NSF 140 Gold
TVOC Range	0.5 mg/m3 or less
Red List Free	True
Declare Label	Nylon Modular Carpet on EcoFlex NXT
Mindful Materials	Participates in Mindful Materials Library
Take Back Program	ReCover Program
Health Product Declaration	HPD 2.1 EcoFlex NXT Gold - 1000 ppm
Environmental Claims Validation	EPD EcoFlex NXT
Global Green Tag	GreenRate Level A, LCARate Silver Plus
LEED Credit Potential	LEED Eligible

Warranties

Lifetime Limited Carpet Tile Warranty, Lifetime Duracolor Stain Warranty, Lifetime Static



Kinesthetic

Collection	Get Smart
Style Name	Kinesthetic
Style Number	GT317
Product Type	Carpet Tile
Size	12" X 36"
Construction	Tufted
Installation	Monolithic, Half Lap, Brick Ashlar, Basket

Feature	Description
Backing Material	Ecoflex Nxt
Fiber Type	Duracolor® Tricor Premium Nylon
Dye Method	Solution Dyed
Installation Methods	Monolithic, Half Lap, Brick Ashlar, Basket
Stitches per Inch	11 (43.31 per 10cm)
Density	6821
Tufted Pile Weight	18.00 oz/yd2 (610 g/m2)
Surface Texture	Textured Patterned Loop



Recommended Installation Methods











	-	
\rightarrow		
	_	
-		
	·•	
		-
-		
	-	
	-+	
-		
-		

Basket Weave

Brick Ashlar

Half Lap

Herringbone

Monolithic

Monolithic Stepping

Mohawk Group

www.mohawkgroup.com

y f 💿 in 🤊

Colorways

Cayenne		Peacock		Magic	
Color code:	263	Color code:	566	Color code:	589
Style number:	GT317	Style number:	GT317	Style number:	GT317
Greenery		Hound		Subtle	
Color code:	661	Color code:	849	Color code:	861
Style number:	GT317	Style number:	GT317	Style number:	GT317
Everglade		Metro		Cocoa	
Everglade	949	Metro Color code:	957	Cocoa Color code:	969
	949 GT317		957 GT317		969 GT317
Color code:		Color code:		Color code:	
Color code: Style number:		Color code:		Color code:	

Performance

Feature	Description
Gauge	1/12 (47.00 rows per 10 cm)
Stain Release Technology	Pass
Foot Traffic Recommendation TARR	Severe
Flammability	ASTM E 648 Class 1 (Glue Down)
Smoke Density	ASTM E 662 Less than 450
Static Propensity	AATCC-134 Under 3.5 KV
Soil Release Technology	EcoSentry Soil Protection

Mohawk Group

ダ f ◎ in ዎ

Sustainability

Feature	Description
Beyond Carbon Neutral	This product is 100% carbon neutral plus an additional 5% offset
Carbon Handprint	-0.062 kg CO2e/ft2
Embodied Carbon	1.24 kg CO2e/ft2
Total Recycled Content	57%
Pre-Consumer Recycled Content	57%
NSF 140	EcoFlex NXT - NSF 140 Gold
Indoor Air Quality	<u>GLP 1171</u>
TVOC Range	0.5 mg/m3 or less
Red List Free	True
Declare Label	Nylon Modular Carpet on EcoFlex NXT
Mindful Materials	Participates in Mindful Materials Library
Take Back Program	ReCover Program
Health Product Declaration	HPD 2.1 EcoFlex NXT Gold - 1000 ppm
Environmental Claims Validation	EPD EcoFlex NXT
Global Green Tag	GreenRate Level A, LCARate Silver Plus
LEED Credit Potential	LEED Eligible

Warranties

Lifetime Limited Carpet Tile Warranty, Lifetime Duracolor Stain Warranty, Lifetime Static

